EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	(@ad<"20040326" @rlad<"20040326") and ((seed primary initial base gold$3) near4 (replica copy)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5 list$3)) and (distributed near3 (directory index catalog locat$5 list$3 exchange)) and (distribution adj client)	US-PGPUB; USPAT	OR	ON	2007/10/12 09:36
S2	743	((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) near5 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab.	US-PGPUB; USPAT	OR	ON	2007/10/12 11:11
S3	8	S2 and ((seed primary initial base gold$3) near4 (replica copy)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5 list$3)) and (distributed near3 (directory index catalog locat$5 list$3 exchange)) not S1	US-PGPUB; USPAT	OR	ON	2007/10/12 09:35
S4	346	(@ad<"20040326" @rlad<"20040326") and ((seed primary initial base gold$3) near4 (replica copy)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5 list$3)) and (distributed near3 (directory index catalog locat$5 list$3 exchange)) not (S1 S3)	US-PGPUB; USPAT	OR	ON	2007/10/12 09:36

S5	153	S4 and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) near5 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)) and (@ad<"20040326" @rlad<"20040326") and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node))	US-PGPUB; USPAT	OR	ON	2007/10/12 09:38
S6	743	((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) near5 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab.	US-PGPUB; USPAT	OR	ON	2007/10/12 11:11
S7	6	S6 and (web adj cache)	US-PGPUB; USPAT	OR	ON	2007/10/12 11:49
S8	37	S6 and ((transfer download send) near9 (streaming))	US-PGPUB; USPAT	OR	ON	2007/10/12 11:50

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	65	((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) adj3 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and ((((performance threshold activity request maximum minimum highest lowest) near3 (ratio limit threshold maximum minimum capacity)) credit rate rating score average magnitude speed rank merit frequency best closest hop proximity) near9 (node client user subscriber peer station terminal)) and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near9 locat$5) and "709".clas.	US-PGPUB; USPAT	OR	ON	2007/10/11 15:59

| S2 | 0 | ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) adj3 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and ((((performance threshold activity request maximum minimum highest lowest) near3 (ratio limit threshold maximum minimum capacity)) credit rate rating score average magnitude speed rank merit frequency best closest hop proximity) near9 (node client user subscriber peer station terminal)) and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((advertis$5 propagat$) near4 new$5) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near9 (index catalog locat$5)) and "709".clas. not S1 | US-PGPUB; USPAT | OR | ON | 2007/10/11 16:10 |

| S3 | 0 | ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) adj3 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and ((((performance threshold activity request maximum minimum highest lowest) near3 (ratio limit threshold maximum minimum capacity)) credit rate rating score average magnitude speed rank merit frequency best closest hop proximity) near9 (node client user subscriber peer station terminal)) and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((advertis$5 propagat$) near4 (index catalog locat$5)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near9 (index catalog locat$5)) and "709".clas. not S1 | US-PGPUB; USPAT | OR | ON | 2007/10/11 16:12 |

| S4 | | 3 | ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) adj3 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and ((((performance threshold activity request maximum minimum highest lowest) near3 (ratio limit threshold maximum minimum capacity)) credit rate rating score average magnitude speed rank merit frequency best closest hop proximity) near9 (node client user subscriber peer station terminal)) and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((advertis$5 propagat$) near4 (index catalog locat$5)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near9 (index catalog locat$5)) not S1 | US-PGPUB; USPAT | OR | ON | 2007/10/11 16:15 |

| S5 | 10 | ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) adj3 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and ((((performance threshold activity request maximum minimum highest lowest) near3 (ratio limit threshold maximum minimum capacity)) credit rate rating score average magnitude speed rank merit frequency best closest hop proximity) near9 (node client user subscriber peer station terminal)) and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((advertis$5 propagat$ broadcast$5) near4 (directory index catalog locat$5)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5)) not S1 | US-PGPUB; USPAT | OR | ON | 2007/10/11 16:18 |

| S6 | 24 | ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) adj3 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and ((((performance threshold activity request maximum minimum highest lowest) near3 (ratio limit threshold maximum minimum capacity)) credit rate rating score average magnitude speed rank merit frequency best closest hop proximity) near9 (node client user subscriber peer station terminal)) and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((advertis$5 propagat$ broadcast$5 forward$5) near4 (new available directory index catalog locat$5)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5)) not (S1 S5) | US-PGPUB; USPAT | OR | ON | 2007/10/11 16:36 |

| S7 | 35 | ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) adj3 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and ((((performance threshold activity request maximum minimum highest lowest) near3 (ratio limit threshold maximum minimum capacity)) credit rate rating score average magnitude speed rank merit frequency best closest hop proximity) near9 (node client user subscriber peer station terminal)) and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((advertis$5 propagat$ broadcast$5 forward$5 publish$3 announc$3 advis$5 notif$5) near4 (new available directory index catalog locat$5 list$3)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5 list$3)) not (S1 S5) | US-PGPUB; USPAT | OR | ON | 2007/10/12 12:19 |
| S8 | 11 | S7 not S6 | US-PGPUB; USPAT | OR | ON | 2007/10/11 16:41 |

S9	121	((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) near5 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((advertis$5 propagat$ broadcast$5 forward$5 publish$3 announc$3 advis$5 notif$5 seed) near4 (replica new available directory index catalog locat$5 list$3)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5 list$3)) not (S1 S5 S6 S8)	US-PGPUB; USPAT	OR	ON	2007/10/11 17:18
S10	167	((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) near5 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((advertis$5 propagat$ broadcast$5 forward$5 publish$3 announc$3 advis$5 notif$5 seed primary initial) near4 (replica copy new available directory index catalog locat$5 list$3)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5 list$3)) not (S1 S5 S6 S8)	US-PGPUB; USPAT	OR	ON	2007/10/12 07:54
S11	140	S10 and ((local$3 individual node peer replicat$3) near4 (directory index catalog locat$5 list$3))	US-PGPUB; USPAT	OR	ON	2007/10/11 17:57
S12	1	niamir$5.inv.	US-PGPUB; USPAT	OR	ON	2007/10/11 17:57

S13	37	((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) near5 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((advertis$5 propagat$ broadcast$5 forward$5 publish$3 announc$3 advis$5 notif$5 seed primary initial report) near4 (replica copy new available directory index catalog locat$5 list$3)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5 list$3)) not (S1 S5 S6 S8 S11)	US-PGPUB; USPAT	OR	ON	2007/10/11 18:14
S14	61	((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) near5 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).ab. and (@ad<"20040326" @rlad<"20040326") and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).ab. and ((advertis$5 propagat$ broadcast$5 forward$5 publish$3 announc$3 advis$5 notif$5 seed primary initial base gold$3) near4 (replica copy new available directory index catalog locat$5 list$3)) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5 list$3)) and (distributed near3 (directory index catalog locat$5 list$3 exchange))	US-PGPUB; USPAT	OR	ON	2007/10/12 09:00

EAST Search History

| S15 | 0 | ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) adj3 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).clm. and (@ad<"20040326" @rlad<"20040326") and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).clm. and ((advertis$5 propagat$ broadcast$5 forward$5 publish$3 announc$3 advis$5 notif$5 first primary seed initial golden base) near4 (replica copy client peer node new available directory index catalog locat$5 list$3)).clm. and ((other second$3) adj (peer-client node)).clm. and ((manion$5 rao$5 shappell$5).inv. microsoft. as.) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5 list$3)) and (distributed near3 (directory index catalog locat$5 list$3 exchange)) | US-PGPUB; USPAT | OR | ON | 2007/10/12 12:44 |

| S16 | 0 | ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) adj3 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).clm. and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).clm. and ((advertis$5 propagat$ broadcast$5 forward$5 publish$3 announc$3 advis$5 notif$5 first primary seed initial golden base) near4 (replica copy device client peer node new available directory index catalog locat$5 list$3)).clm. and ((other second$3) adj (peer client node device)).clm. and ((manion$5 rao$5 shappell$5).inv. microsoft$5.as.) and ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product) near4 (directory index catalog locat$5 list$3)) and (distributed near3 (directory index catalog locat$5 list$3 exchange)) | US-PGPUB; USPAT | OR | ON | 2007/10/12 12:58 |
| S17 | 22 | ((file$5 data$4 audio$ music$5 document$4 $5media content stream$5 application product $5group$5 communit$5) adj3 (shar$5 copy$5 $5load$5 transfer$5 distribut$5)).clm. and (peer-to-peer p2p node-to-node client-to-client client-client peer-peer node-node (peer adj2 peer) (node adj2 node)).clm. and ((advertis$5 propagat$ broadcast$5 forward$5 publish$3 announc$3 advis$5 notif$5 first primary seed initial golden base) near4 (replica copy device client peer node new available directory index catalog locat$5 list$3)).clm. and ((other second$3) adj (peer client node device)).clm. and ((manion$5 rao$5 shappell$5).inv. microsoft$5.as.) | US-PGPUB; USPAT | OR | ON | 2007/10/12 12:59 |